

ATMOS




PRIDE[®]
MOBILITY
LIVE YOUR BEST[®]

Tel: +31 (0)85-0408630 . Fax: +31 (0)85-0430039
pridemobility.eu . info@prideeurope.nl

Discover the ultimate combination of comfort, performance and style with the Atmos. This mobility scooter is equipped with premium suspension, resulting in a smooth and stable ride on various terrains.



13" pneumatic tires



Large footplate



Comfortable dual suspension

Specifications

Weight capacity	228,8 kg
Speed	Up to 15 km/h
Range per charge	Up to 37,7 km
Turning radius	2090 mm
Ground clearance	88 mm
Length	1420 mm
Width	687 - 707 mm
Tires	13" pneumatic, front and rear
Drive	Rear-wheel drive, sealed transaxle, 24-volt DC motor
Weight without batteries	115 kg
Batteries	Type: Two 12-volt, sealed lead-acid, non-spillable deep-cycle Size: 75 Ah
More?	Download our specifications sheet on the website

Features

- Front and Rear Suspension
- Generously sized footplate for extra room
- Adjustable armrests
- Pneumatic tires
- 15 km/h top cruising speed for thrilling rides in the great outdoors

1. Varies with user weight, terrain type, battery amp-hour (AH), battery charge, battery condition, and tire condition. This specification can be subject to a variance of (+ or -) 10%.
2. Due to manufacturing tolerances and continual product improvement, this specification can be subject to a variance of (+ or -) 3%.
3. Battery weight may vary based on battery manufacturer.
4. Includes standard seat weight.

NOTE: All specifications subject to change without notice. The information contained herein is correct at the time of publication; we reserve the right to alter specifications without prior notice. Speed and range vary with user weight, terrain type, battery charge, battery condition and tire pressure. Due to manufacturing tolerances and continual product improvement, length, width, turning radius and ground clearance can be subject to variance of + or - 3%. Dimensions listed are for power base only. Overall measurements will vary based on seating and accessory selections.

Theoretical range is calculated under test conditions in accordance with European standards. Actual range in normal use will depend on many factors, including the condition of the vehicle and its batteries, the weight of the driver, correct tyre pressures, ambient temperature, and the gradient and surface of the road or pavement. Dimensions listed are for power base only. Overall measurements will vary based on seating and accessory selections.

Available colors



Blue